

WESTERN TRI – CLOVER GASKET SIZES




Tri Clover Clamp And Western Polyrub Gasket Along With A Pair Or Tri Clover Fittings Is Required To Make A Complete Set. Stainless Steel Clamp And Pipe Couplings For The Food Industry Is An International Standard That Complied Well With Western Polyrub Quality.


Down bellow are our sizes , if Western can help you with any of your queries ,please feel free to contact us .

INCHES FROM 0" TO 1"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
28	36.09	20.86	27.49	4.01	4.1	WITH COLLAR
29	36.4	20.2	27.5	3.5	4.5	WITH COLLAR
33(A)	25.34	9.98	18	3.39		WITHOUT
55	53.5	22.5	43	6	4.5	WITH COLLAR
56	50.8	20	43.5	4.5	2	WITHOUT
67	35	18	28	4	1.7(2.6X4)	WITHOUT
68 - A	50.5	20.5	44	3.8	1.5(3.5X9.5)	WITHOUT
75	26	9	20	4.8	2	WITHOUT
76	34	18.5	27	4.8	1.5	WITHOUT
77	22	16		4.5		WITH COLLAR
83	50	22		4.5		WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 1" TO 2"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
27(A)	52.4	32.1	42.6	3.6	4.3	WITH COLLAR
31(A)	50	36.4	44.4	4.1		WITHOUT
31(B)	48.4	35.4	42	4		WITHOUT
32	64	48	54.8	4.1		WITHOUT
33(B)	50.86	38	44.2	2.41		WITHOUT
57	49.5	31.5	44	4	2	
59	64	43.5	57	4	1	WITHOUT
68 - B	50	36.25	44	3	1.2(3.5X3.5)	WITHOUT
73	51	34	44	4	1.8	WITH COLLAR
90	67	41.2		4.7	2.5(OD4 X ID6.4)	WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 2" TO 3"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR	
26	91.17	71.3	82.7	5.2	2.3	WITHOUT	
58	93	66	84	5.5	4.5	WITH COLLAR	
65	88	66	80	4.2	2(4X7)	WITHOUT	
66	76	56	66.7	3.5	1.5(3X3)	WITHOUT	
82	2" T.C GASKET WITHOUT COLLAR						




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 3" TO 4"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
7 ©	117	95.8	108	5		WITHOUT
10	120	99.5	108	5.5	4.5	WITH COLLAR
25	120.53	98	109.4	5	4.35	WITH COLLAR
39 - A	132	100	113	6.5	2.2	WITHOUT
52 - A	120	100	110	4.8	2.5	WITHOUT
53 - A	119	97	107	5.4	2.5	WITHOUT
61 - C	117	92	118	6.2	2.7(5X5)	WITHOUT
87	120	95	108	8	3	WITHOUT
91	113	97		5.2	2.7(OD1.5 X ID3.8)	WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 4" TO 5"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
12	128.5	106.5	116	5		WITHOUT
23 (A)	143.4	107.84	134	5		WITHOUT
24	133.6	115	123.5	4.5	2.4	WITHOUT
35 - C	132	109	120	4	2.2	WITHOUT
36 - B	143	119	131	5	2	WITHOUT
41 - C	140	121	132	5.2	2.5	WITHOUT
43	148	119	135	8	2.1	WITHOUT
48 - A	145	122	134	5.9	2	WITHOUT
48 - B	143	124	131	5	2	WITHOUT
49	133	103	123	5	2	WITHOUT
52 - B	128	104	114	4.7	2.5	WITHOUT
53 - B	127	108	116	5	2.5	WITHOUT
79 - B	127	104		5		WITHOUT



WITH COLLAR




WITHOUT COLLAR

INCHES FROM 5" TO 6"


T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
7 (A)	162.5	136.5	147	4.9		WITHOUT
7 (B)	148	127.5	138	5		WITHOUT
8	170	146	155	6		WITHOUT
9 (A)	173	152	160	4.5	4.1	WITH COLLAR
9 (B)	177	146	160	7	3.2	WITHOUT
11	173.4	141	155	5	4	WITH COLLAR
14	180	147	168	5	4.5	WITH COLLAR
15	166	145	150	5.5	4.7	WITH COLLAR
16 (A)	170	146	155	5.3	4.2	WITH COLLAR
18	167	142	154	5	4.2	WITH COLLAR
19	170	146	155	5.7	6	WITH COLLAR
22	178.56	150.56	165	9	4	WITH COLLAR
35 - D	176	144	160	4.7	2.5	WITHOUT
37	183	145	172	4.5	2	WITHOUT
40 - B	197	146	173	5	2.3	WITHOUT
42 - A	178	142	160	4.6	2.5	WITHOUT
42 - B	165	143	154	4.5	2.5	WITHOUT
46	162	143	152	2.5	2.7	WITHOUT
47 - A	176	150	165	5	2.5	WITHOUT
47 - B	182	145	172	4.5	2	WITHOUT
50	187	150	160	4.8	2	WITH COLLAR
51	181	145	159	8	1.5	WITH COLLAR
60 - C	178	145	160	6.5	2.5(7.5X4)	WITHOUT
62 - B	168	140	157	6	3(4.5X4.5)	WITHOUT
80	185	150		6		WITH COLLAR
86	165	135		5.5	2.5(OD7 X ID5)	WITHOUT
88	173	147		5.2	3.2(OD3.8 X ID6)	WITHOUT

INCHES FROM 6" TO 7"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
2 (A)	185	165	170	5.05		WITHOUT
4	184	163	170	5.1	4.5	WITH COLLAR
6	178	157	167	5	4.1	WITH COLLAR
35 - B	171	156	160	4.2	2	WITHOUT
36 - A	175	157	169	5	2.2	WITHOUT
41 - B	177	153	161	6	2.3	WITHOUT
61 - B	183	158	171	6	2.2(5X5)	WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 7" TO 8"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
5	220	196	215	4.54	5	WITH COLLAR
17	228	195	212	4.1	4.5	WITH COLLAR
21	225	195	213	4.5		WITHOUT
23(B)	226	196	220	5		WITHOUT
34	212	191	207	5	2	WITHOUT
35 - A	218	195	210	5.7	2	WITHOUT
40 - A	247	196	223	5	2.2	WITHOUT
45	218	199	204	4.8	2.4	WITH COLLAR
61 - A	228	192	216	8.2	3.1(6.5X9)	WITHOUT
74	235	203	220	5.7		WITHOUT
89	218	196		4.6	3.2(OD4 X ID3.8)	WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 8" TO 9"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
2 (B)	235	205	220	7		WITHOUT
3	238	210	230	7.81		WITHOUT
13	231	210	235	4.92	4.25	WITHOUT
20	231	210	220	6.5		WITHOUT
39 - B	239	220	232	5.2	2	WITHOUT
62 - A	255	207	236	6	2.6(10X10)	WITHOUT
64	236	208	226	6	2(5X5)	WITHOUT
69	235	205	222	6	2.5(5X5)	WITHOUT
70 - B	230	209		5	2.5(3X5)	WITHOUT
84	235	214		5	2.5(OD3 X ID5)	WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 9" TO 10"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
16 (B)	267.4	245	260	8		WITHOUT
41 - A	275	237	254	6	2.6	WITHOUT
54	283	249	267	6.5	2.5	WITHOUT
60 - A	285	250	260	5	2(6.5ODX7.5ID)	WITHOUT
60 - B	280	240	265	6	2(6.5X7.5)	WITHOUT
63 - A	285	251	272	5	2(5X9)	WITHOUT
63 - B	285	251	272	6	2(8X5)	WITHOUT
78	265	245		4.75	2	WITHOUT
79 - A	268	250		5		WITHOUT
81	270	245		7		WITHOUT




WITH COLLAR




WITHOUT COLLAR

INCHES FROM 10" TO 12"

T.C DIE NO.	OD (MM)	ID (MM)	P.C.D (MM)	TOTAL THICKNESS	COLLAR THK	WITHOUT/ WITH COLLAR
39 - C	292	268	280	5.3	2	WITHOUT
70 - A	290	260	275	6		WITHOUT
71	320	300	310	4.2		WITH COLLAR



WITH COLLAR



WITHOUT COLLAR